

PBC is a rare disease that affects


1 person in 100,000¹

9:1 female-to-male ratio²



Most common in women aged 40+¹

Treatments are available to **slow disease progression** and manage symptoms



Liver transplantation is used for those with end-stage liver disease¹

Feelings of isolation and loneliness are common side effects of the condition³



Sharing experiences and connecting with others can help³

#PBCandMe

SUNDAY 10 SEPTEMBER

international PBC day 2017

#PBCandMe

References:

1. Gideon M. Hirschfield et al. 2017 EASL Clinical Practise Guidelines: The Diagnosis and Management of Patients with Primary Biliary Cholangitis. Journal of Hepatology available at: [https://www.journal-of-hepatology.eu/article/S0168-8278\(17\)30186-1/abstract](https://www.journal-of-hepatology.eu/article/S0168-8278(17)30186-1/abstract) Last accessed: September 2017
2. Teru Kumagi¹ and E Jenny Heathcote, 2008 Primary Biliary Cholangitis. Orphanet Journal of Rare diseases Available at <https://ojrd.biomedcentral.com/articles/10.1186/1750-1172-3-1> Last accessed: August 2017
3. Ellen D. Sogolow et al. 2010 Stigma and Liver Disease. Sage Journals. Available at: <http://journals.sagepub.com/doi/abs/10.2190/IL.18.3.e?journalCode=icla> Last accessed: September 2017